




左向右切切斷刀 Left Hand Right Cutting Part Off

CE 斷屑槽 CE Breaker






型 號 EDP NO.	W	θ°	r1	r2	L2	X21	NC02	HC83	適 用 刀 架 HOLDER NO.
44.6310-00R CE	1.0	15°	0.0	0.0	5	●	●		CS789L****-63
44.6315-00R CE	1.5	15°	0.0	0.0	8.5	●	●		CS789L****-63
44.6315-005R CE	1.5		0.05	0.05		●	●		
44.6315-01R CE	1.5		0.1	0.1		●	●		
44.6320-00R CE	2.0	15°	0.0	0.0	8.5	●	●		CS789L****-63
44.6320-005R CE	2.0		0.05	0.05		●	●		
44.6320-01R CE	2.0		0.1	0.1		●	●		
44.6325-00R CE	2.5	15°	0.0	0.0	8.5	●	●		CS789L****-63
44.6325-005R CE	2.5		0.05	0.05		●	●		
44.6325-01R CE	2.5		0.1	0.1		●	●		
44.8315-00R CE	1.5	15°	0.0	0.0	8.5	●	●		CS668L****-83
44.8315-005R CE	1.5		0.05	0.05		●	●		
44.8315-01R CE	1.5		0.1	0.1		●	●		
44.8320-00R CE	2.0	15°	0.0	0.0	10.5	●	●		CS668L****-83
44.8320-005R CE	2.0		0.05	0.05		●	●		
44.8320-01R CE	2.0		0.1	0.1		●	●		
44.8325-00R CE	2.5	15°	0.0	0.0	10.5	●	●		CS668L****-83
44.8325-005R CE	2.5		0.05	0.05		●	●		
44.8325-01R CE	2.5		0.1	0.1		●	●		
44.8330-00R CE	3.0	15°	0.0	0.0	10.5	●	●		CS668L****-83
44.8330-005R CE	3.0		0.05	0.05		●	●		
44.8330-01R CE	3.0		0.1	0.1		●	●		
44.6320-00R WCE	2.0	20°	0.1	0.0	8.5	●	●	●	CS789L****-63
44.6320-005R WCE	2.0		0.05	0.05					
44.6320-01R WCE	2.0		0.1	0.1					
44.8320-00R WCE	2.0	20°	0.1	0.0	10.5	●	●	●	CS668L****-83
44.8320-005R WCE	2.0		0.05	0.05					
44.8320-01R WCE	2.0		0.1	0.1					

無"●"標示者為訂製品。Without "●" marking means custom products.
有"●"標示者為在庫品。With "●" marking means items in stock.

左向右切切斷刀 Left Hand Right Cutting Part Off

CU 斷屑槽 CU Breaker






型 號 EDP NO.	W	θ°	r1	r2	L2	X21	NC02	HC83	適用刀架 HOLDER NO.
44.6315-00R CU	1.5	15°	0.0	0.0	8.5	●	●		CS789L****-63
44.6315-005R CU	1.5		0.05	0.05		●	●		
44.6315-01R CU	1.5		0.1	0.1		●	●		
44.6320-00R CU	2.0	15°	0.0	0.0	8.5	●	●		CS789L****-63
44.6320-005R CU	2.0		0.05	0.05		●	●		
44.6320-01R CU	2.0		0.1	0.1		●	●		
44.6325-00R CU	2.5	15°	0.0	0.0	8.5	●	●		CS789L****-63
44.6325-005R CU	2.5		0.05	0.05		●	●		
44.6325-01R CU	2.5		0.1	0.1		●	●		
44.8315-00R CU	1.5	15°	0.0	0.0	8.5	●	●		CS668L****-83
44.8315-005R CU	1.5		0.05	0.05		●	●		
44.8315-01R CU	1.5		0.1	0.1		●	●		
44.8320-00R CU	2.0	15°	0.0	0.0	10.5	●	●		CS668L****-83
44.8320-005R CU	2.0		0.05	0.05		●	●		
44.8320-01R CU	2.0		0.1	0.1		●	●		
44.8325-00R CU	2.5	15°	0.0	0.0	10.5	●	●		CS668L****-83
44.8325-005R CU	2.5		0.05	0.05		●	●		
44.8325-01R CU	2.5		0.1	0.1		●	●		
44.8330-00R CU	3.0	15°	0.0	0.0	10.5	●	●		CS668L****-83
44.8330-005R CU	3.0		0.05	0.05		●	●		
44.8330-01R CU	3.0		0.1	0.1		●	●		
44.6320-00R WCU	2.0	20°	0.1	0.0	8.5	●	●	●	CS789L****-63
44.6320-005R WCU	2.0		0.05	0.05					
44.6320-01R WCU	2.0		0.1	0.1					
44.8320-00R WCU	2.0	205°	0.1	0.0	10.5	●	●	●	CS668L****-83
44.8320-005R WCU	2.0		0.05	0.05					
44.8320-01R WCU	2.0		0.1	0.1					

無"●"標示者為訂製品。Without "●" marking means custom products.
有"●"標示者為在庫品。With "●" marking means items in stock.

左向右切切斷刀 Left Hand Right Cutting Part Off

CX 斷屑槽 CX Breaker






型 號 EDP NO.	W	θ°	r1	r2	L2	X21	NC02	HC83	適用刀架 HOLDER NO.
44.6310-00R CX	1.0	15°	0.0	0.0	5	●	●		CS789L****-63
44.6315-00R CX	1.5	15°	0.0	0.0	8.5	●	●		CS789L****-63
44.6315-005R CX	1.5		0.05	0.05		●	●		
44.6315-01R CX	1.5		0.1	0.1		●	●		
44.6320-00R CX	2.0	15°	0.0	0.0	8.5	●	●		CS789L****-63
44.6320-005R CX	2.0		0.05	0.05		●	●		
44.6320-01R CX	2.0		0.1	0.1		●	●		
44.6325-00R CX	2.5	15°	0.0	0.0	8.5	●	●		CS789L****-63
44.6325-005R CX	2.5		0.05	0.05		●	●		
44.6325-01R CX	2.5		0.1	0.1		●	●		
44.8315-00R CX	1.5	15°	0.0	0.0	8.5	●	●		CS668L****-83
44.8315-005R CX	1.5		0.05	0.05		●	●		
44.8315-01R CX	1.5		0.1	0.1		●	●		
44.8320-00R CX	2.0	15°	0.0	0.0	10.5	●	●		CS668L****-83
44.8320-005R CX	2.0		0.05	0.05		●	●		
44.8320-01R CX	2.0		0.1	0.1		●	●		
44.8325-00R CX	2.5	15°	0.0	0.0	10.5	●	●		CS668L****-83
44.8325-005R CX	2.5		0.05	0.05		●	●		
44.8325-01R CX	2.5		0.1	0.1		●	●		
44.8330-00R CX	3.0	15°	0.0	0.0	10.5	●	●		CS668L****-83
44.8330-005R CX	3.0		0.05	0.05		●	●		
44.8330-01R CX	3.0		0.1	0.1		●	●		
44.6320-00R CX	2.0	20°	0.1	0.0	8.5	●	●	●	CS789L****-63
44.6320-005R CX	2.0		0.05	0.05					
44.6320-01R WCX	2.0		0.1	0.1					
44.8320-00R WCX	2.0	20°	0.1	0.0	10.5	●	●	●	CS668L****-83
44.8320-005R WCX	2.0		0.05	0.05					
44.8320-01R WCX	2.0		0.1	0.1					

無"●"標示者為訂製品。Without "●" marking means custom products.
有"●"標示者為在庫品。With "●" marking means items in stock.

左向右切切斷刀 Left Hand Right Cutting Part Off

無 斷屑槽 NO Breaker






型 號 EDP NO.	W	θ°	r1	r2	L2	X21	NC02	HC83	適用刀架 HOLDER NO.
44.6310-00R NB	1.0	15°	0.0	0.0	5	●	●		CS789L****-63
44.6315-00R NB	1.5	15°	0.0	0.0	8.5	●	●		CS789L****-63
44.6315-005R NB	1.5		0.05	0.05		●	●		
44.6315-01R NB	1.5		0.1	0.1		●	●		
44.6320-00R NB	2.0	15°	0.0	0.0	8.5	●	●		CS789L****-63
44.6320-005R NB	2.0		0.05	0.05		●	●		
44.6320-01R NB	2.0		0.1	0.1		●	●		
44.6325-00R NB	2.5	15°	0.0	0.0	8.5	●	●		CS789L****-63
44.6325-005R NB	2.5		0.05	0.05		●	●		
44.6325-01R NB	2.5		0.1	0.1		●	●		
44.8315-00R NB	1.5	15°	0.0	0.0	8.5	●	●		CS668L****-83
44.8315-005R NB	1.5		0.05	0.05		●	●		
44.8315-01R NB	1.5		0.1	0.1		●	●		
44.8320-00R NB	2.0	15°	0.0	0.0	10.5	●	●		CS668L****-83
44.8320-005R NB	2.0		0.05	0.05		●	●		
44.8320-01R NB	2.0		0.1	0.1		●	●		
44.8325-00R NB	2.5	15°	0.0	0.0	10.5	●	●		CS668L****-83
44.8325-005R NB	2.5		0.05	0.05		●	●		
44.8325-01R NB	2.5		0.1	0.1		●	●		
44.8330-00R NB	3.0	15°	0.0	0.0	10.5	●	●		CS668L****-83
44.8330-005R NB	3.0		0.05	0.05		●	●		
44.8330-01R NB	3.0		0.1	0.1		●	●		
44.6320-00R WNB	2.0	20°	0.1	0.0	8.5	●	●	●	CS789L****-63
44.6320-005R WNB	2.0		0.05	0.05					
44.6320-01R WNB	2.0		0.1	0.1					
44.8320-00R WNB	2.0	20°	0.1	0.0	10.5	●	●	●	CS668L****-83
44.8320-005R WNB	2.0		0.05	0.05					
44.8320-01R WNB	2.0		0.1	0.1					

無"●"標示者為訂製品。Without "●" marking means custom products.
有"●"標示者為在庫品。With "●" marking means items in stock.

左向右切切斷刀 Left Hand Right Cutting Part Off

CE 斷屑槽 CE Breaker






型 號 EDP NO.	W	θ°	r1	r2	L2	X21	UP60	適 用 刀 架 HOLDER NO.
44.47615-00R CE	1.5	15°	0.0	0.0	8.5	●	●	CS458L****
44.47615-01R CE	1.5		0.1	0.1		●	●	
44.47620-00R CE	2.0	15°	0.0	0.0	10.5	●	●	CS458L****
44.47620-005R CE	2.0		0.05	0.05		●	●	
44.47620-01R CE	2.0		0.1	0.1		●	●	
44.47625-00R CE	2.5	15°	0.0	0.0	10.5	●	●	CS458L****
44.47625-005R CE	2.5		0.05	0.05		●	●	
44.47625-01R CE	2.5		0.1	0.1		●	●	
44.47630-00R CE	3.0	15°	0.0	0.0	10.5	●	●	CS458L****
44.47630-005R CE	3.0		0.05	0.05		●	●	
44.47630-01R CE	3.0		0.1	0.1		●	●	
44.47615-00R WCE	1.5	20°	0.0	0.0	8.5	●	●	CS458L****
44.47615-01R WCE	1.5		0.1	0.1		●	●	
44.47620-00R WCE	2.0	20°	0.0	0.0	10.5	●	●	CS458L****
44.47620-005R WCE	2.0		0.05	0.05		●	●	
44.47620-01R WCE	2.0		0.1	0.1		●	●	
44.47625-00R WCE	2.5	20°	0.0	0.0	10.5	●	●	CS458L****
44.47625-005R WCE	2.5		0.05	0.05		●	●	
44.47625-01R WCE	2.5		0.1	0.1		●	●	
44.47630-00R WCE	3.0	20°	0.0	0.0	10.5	●	●	CS458L****
44.47630-005R WCE	3.0		0.05	0.05		●	●	
44.47630-01R WCE	3.0		0.1	0.1		●	●	

無"●"標示者為訂製品。Without "●" marking means custom products.
有"●"標示者為在庫品。With "●" marking means items in stock.

台灣專利 第：M390832號
中國專利 字號：ZL 2009 2 0136227.3
日本專利 實願：2010-005365

左向右切切斷刀 Left Hand Right Cutting Part Off

CU 斷屑槽 CU Breaker






型 號 EDP NO.	W	θ°	r1	r2	L2	X21	UP60	HC83	適用刀架 HOLDER NO.
44.47615-00R CU	1.5	15°	0.0	0.0	8.5	●	●		CS458L****
44.47615-01R CU	1.5		0.1	0.1		●	●		
44.47620-00R CU	2.0	15°	0.0	0.0	10.5	●	●		CS458L****
44.47620-005R CU	2.0		0.05	0.05		●	●		
44.47620-01R CU	2.0		0.1	0.1		●	●		
44.47625-00R CU	2.5	15°	0.0	0.0	10.5	●	●		CS458L****
44.47625-005R CU	2.5		0.05	0.05		●	●		
44.47625-01R CU	2.5		0.1	0.1		●	●		
44.47630-00R CU	3.0	15°	0.0	0.0	10.5	●	●		CS458L****
44.47630-005R CU	3.0		0.05	0.05		●	●		
44.47630-01R CU	3.0		0.1	0.1		●	●		
44.47615-00R WCU	1.5	20°	0.0	0.0	8.5	●	●		CS458L****
44.47615-01R WCU	1.5		0.1	0.1		●	●		
44.47620-00R WCU	2.0	20°	0.0	0.0	10.5	●	●		CS458L****
44.47620-005R WCU	2.0		0.05	0.05		●	●		
44.47620-01R WCU	2.0		0.1	0.1		●	●		
44.47625-00R WCU	2.5	20°	0.0	0.0	10.5	●	●		CS458L****
44.47625-005R WCU	2.5		0.05	0.05		●	●		
44.47625-01R WCU	2.5		0.1	0.1		●	●		
44.47630-00R WCU	3.0	20°	0.0	0.0	10.5	●	●		CS458L****
44.47630-005R WCU	3.0		0.05	0.05		●	●		
44.47630-01R WCU	3.0		0.1	0.1		●	●		

無"●"標示者為訂製品。Without "●" marking means custom products.
有"●"標示者為在庫品。With "●" marking means items in stock.

台灣專利 第：M390832號
中國專利 字號：ZL 2009 2 0136227.3
日本專利 實願：2010-005365

左向右切切斷刀 Left Hand Right Cutting Part Off

CX 斷屑槽 CX Breaker






型 號 EDP NO.	W	θ°	r1	r2	L2	X21	UP60	適 用 刀 架 HOLDER NO.
44.47615-00R CX	1.5	15°	0.0	0.0	8.5	●	●	CS458L****
44.47615-01R CX	1.5		0.1	0.1		●	●	
44.47620-00R CX	2.0	15°	0.0	0.0	10.5	●	●	CS458L****
44.47620-005R CX	2.0		0.05	0.05		●	●	
44.47620-01R CX	2.0		0.1	0.1		●	●	
44.47625-00R CX	2.5	15°	0.0	0.0	10.5	●	●	CS458L****
44.47625-005R CX	2.5		0.05	0.05		●	●	
44.47625-01R CX	2.5		0.1	0.1		●	●	
44.47630-00R CX	3.0	15°	0.0	0.0	10.5	●	●	CS458L****
44.47630-005R CX	3.0		0.05	0.05		●	●	
44.47630-01R CX	3.0		0.1	0.1		●	●	
44.47615-00R WCX	1.5	20°	0.0	0.0	8.5	●	●	CS458L****
44.47615-01R WCX	1.5		0.1	0.1		●	●	
44.47620-00R WCX	2.0	20°	0.0	0.0	10.5	●	●	CS458L****
44.47620-005R WCX	2.0		0.05	0.05		●	●	
44.47620-01R WCX	2.0		0.1	0.1		●	●	
44.47625-00R WCX	2.5	20°	0.0	0.0	10.5	●	●	CS458L****
44.47625-005R WCX	2.5		0.05	0.05		●	●	
44.47625-01R WCX	2.5		0.1	0.1		●	●	
44.47630-00R WCX	3.0	20°	0.0	0.0	10.5	●	●	CS458L****
44.47630-005R WCX	3.0		0.05	0.05		●	●	
44.47630-01R WCX	3.0		0.1	0.1		●	●	

無"●"標示者為訂製品。Without "●" marking means custom products.
有"●"標示者為在庫品。With "●" marking means items in stock.

台灣專利 第：M390832號
中國專利 字號：ZL 2009 2 0136227.3
日本專利 實願：2010-005365

左向右切切斷刀 Left Hand Right Cutting Part Off

無 斷屑槽 NO Breaker






型 號 EDP NO.	W	θ°	r1	r2	L2	X21	UP60	適用刀架 HOLDER NO.
44.47615-00R NB	1.5	15°	0.0	0.0	8.5	●	●	CS458L****
44.47615-01R NB	1.5		0.1	0.1		●	●	
44.47620-00R NB	2.0	15°	0.0	0.0	10.5	●	●	CS458L****
44.47620-005R NB	2.0		0.05	0.05		●	●	
44.47620-01R NB	2.0		0.1	0.1		●	●	
44.47625-00R NB	2.5	15°	0.0	0.0	10.5	●	●	CS458L****
44.47625-005R NB	2.5		0.05	0.05		●	●	
44.47625-01R NB	2.5		0.1	0.1		●	●	
44.47630-00R NB	3.0	15°	0.0	0.0	10.5	●	●	CS458L****
44.47630-005R NB	3.0		0.05	0.05		●	●	
44.47630-01R NB	3.0		0.1	0.1		●	●	
44.47615-00R WNB	1.5	20°	0.0	0.0	8.5	●	●	CS458L****
44.47615-01R WNB	1.5		0.1	0.1		●	●	
44.47620-00R WNB	2.0	20°	0.0	0.0	10.5	●	●	CS458L****
44.47620-005R WNB	2.0		0.05	0.05		●	●	
44.47620-01R WNB	2.0		0.1	0.1		●	●	
44.47625-00R WNB	2.5	20°	0.0	0.0	10.5	●	●	CS458L****
44.47625-005R WNB	2.5		0.05	0.05		●	●	
44.47625-01R WNB	2.5		0.1	0.1		●	●	
44.47630-00R WNB	3.0	20°	0.0	0.0	10.5	●	●	CS458L****
44.47630-005R WNB	3.0		0.05	0.05		●	●	
44.47630-01R WNB	3.0		0.1	0.1		●	●	

無"●"標示者為訂製品。Without "●" marking means custom products.
有"●"標示者為在庫品。With "●" marking means items in stock.

台灣專利 第：M390832號
中國專利 字號：ZL 2009 2 0136227.3
日本專利 實願：2010-005365




左向右切切斷刀 Left Hand Right Cutting Part Off

CE 斷削槽 CE Breaker



型 號 EDP NO.	W	θ°	r1	r2	L2	X21	NA01	HC83	適用刀架 HOLDER NO.
443.10-00 R CE	1.0	15°	0.0	0.0	5	●	●		CS900L****83
443.15-00 R CE	1.5		0.0	0.0	8.5	●	●		
443.15-005 R CE	1.5		0.05	0.05		●	●		
443.15-01 R CE	1.5		0.1	0.1		●	●		
443.20-00 R CE	2.0		0.0	0.0	11.5	●	●		
443.20-005 R CE	2.0		0.05	0.05		●	●		
443.20-01 R CE	2.0		0.1	0.1		●	●		
443.25-00 R CE	2.5		0.0	0.0		●	●		
443.25-005 R CE	2.5		0.05	0.05		●	●		
443.25-01 R CE	2.5		0.1	0.1		●	●		
443.30-00 R CE	3.0		0.0	0.0		●	●		
443.30-005 R CE	3.0		0.05	0.05		●	●		
443.30-01 R CE	3.0		0.1	0.1		●	●		
443.20-00 R WCE	2.0	20°	0.1	0.0	11.5	●	●		CS900L****83
443.20-005 R WCE	2.0		0.05	0.05					
443.20-01 R WCE	2.0		0.1	0.1					

CU 斷屑槽 CU Breaker






型 號 EDP NO.	W	θ°	r1	r2	L2	X21	NA01	HC83	適用刀架 HOLDER NO.
443.15-00 R CU	1.5	15°	0.0	0.0	8.5	●	●		CS900L****83
443.15-005 R CU	1.5		0.05	0.05		●	●		
443.15-01 R CU	1.5		0.1	0.1		●	●		
443.20-00 R CU	2.0		0.0	0.0	11.5	●	●		
443.20-005 R CU	2.0		0.05	0.05		●	●		
443.20-01 R CU	2.0		0.1	0.1		●	●		
443.25-00 R CU	2.5		0.0	0.0		●	●		
443.25-005 R CU	2.5		0.05	0.05		●	●		
443.25-01 R CU	2.5		0.1	0.1		●	●		
443.30-00 R CU	3.0		0.0	0.0		●	●		
443.30-005 R CU	3.0		0.05	0.05		●	●		
443.30-01 R CU	3.0		0.1	0.1		●	●		
443.20-00 R WCU	2.0	20°	0.1	0.0	11.5	●	●		CS900L****83
443.20-005 R WCU	2.0		0.05	0.05					
443.20-01 R WCU	2.0		0.1	0.1					

無"●"標示者為訂製品。Without "●" marking means custom products.
有"●"標示者為在庫品。With "●" marking means items in stock.




左向右切切斷刀 Left Hand Right Cutting Part Off

CX 斷屑槽 CX Breaker



型 號 EDP NO.	W	θ°	r1	r2	L2	X21	NA01	HC83	適用刀架 HOLDER NO.
443.10-00 R CX	1.0	15°	0.0	0.0	5	●	●		CS900L****83
443.15-00 R CX	1.5		0.0	0.0	8.5	●	●		
443.15-005 R CX	1.5		0.05	0.05		●	●		
443.15-01 R CX	1.5		0.1	0.1	11.5	●	●		
443.20-00 R CX	2.0		0.0	0.0		●	●		
443.20-005 R CX	2.0		0.05	0.05		●	●		
443.20-01 R CX	2.0		0.1	0.1		●	●		
443.25-00 R CX	2.5		0.0	0.0		●	●		
443.25-005 R CX	2.5		0.05	0.05		●	●		
443.25-01 R CX	2.5		0.1	0.1		●	●		
443.30-00 R CX	3.0		0.0	0.0		●	●		
443.30-005 R CX	3.0		0.05	0.05		●	●		
443.30-01 R CX	3.0		0.1	0.1		●	●		
443.20-00 R WCX	2.0	20°	0.1	0.0	11.5	●	●		CS900L****83
443.20-005 R WCX	2.0		0.05	0.05					
443.20-01 R WCX	2.0		0.1	0.1					

無 斷屑槽 NO Breaker



型 號 EDP NO.	W	θ°	r1	r2	L2	X21	NA01	HC83	適用刀架 HOLDER NO.
443.10-00 R NB	1.5	15°	0.0	0.0	5.0	●	●		CS900L****83
443.15-00 R NB	1.5		0.0	0.0	8.5	●	●		
443.15-005 R NB	1.5		0.05	0.05		●	●		
443.15-01 R NB	1.5		0.1	0.1	11.5	●	●		
443.20-00 R NB	2.0		0.0	0.0		●	●		
443.20-005 R NB	2.0		0.05	0.05		●	●		
443.20-01 R NB	2.0		0.1	0.1		●	●		
443.25-00 R NB	2.5		0.0	0.0	11.5	●	●		
443.25-005 R NB	2.5		0.05	0.05		●	●		
443.25-01 R NB	2.5		0.1	0.1		●	●		
443.30-00 R NB	3.0		0.0	0.0	11.5	●	●		
443.30-005 R NB	3.0		0.05	0.05		●	●		
443.30-01 R NB	3.0		0.1	0.1		●	●		
443.20-00 R WNB	2.0	20°	0.1	0.0	11.5	●	●		CS900L****83
443.20-005 R WNB	2.0		0.05	0.05					
443.20-01 R WNB	2.0		0.1	0.1					

無"●"標示者為訂製品。Without "●" marking means custom products.
有"●"標示者為在庫品。With "●" marking means items in stock.