




右向切斷刀 Right Hand Part Off

CE 斷屑槽 CE Breaker






型 號 EDP NO.	W	θ°	r1	r2	L2	X21	NC02	HC83	適用刀架 HOLDER NO.
43.6310-00 CE	1.0	15°	0.0	0.0	5		●		CS789R****-63
43.6315-00 CE	1.5	15°	0.0	0.0	8.5	●	●		CS789R****-63
43.6315-005 CE	1.5		0.05	0.05					
43.6315-01 CE	1.5		0.1	0.1					
43.6320-00 CE	2.0	15°	0.0	0.0	8.5	●	●		CS789R****-63
43.6320-005 CE	2.0		0.05	0.05					
43.6320-01 CE	2.0		0.1	0.1					
43.6325-00 CE	2.5	15°	0.0	0.0	8.5	●	●		CS789R****-63
43.6325-005 CE	2.5		0.05	0.05					
43.6325-01 CE	2.5		0.1	0.1					
43.8315-00 CE	1.5	15°	0.0	0.0	8.5	●	●		CS668R****-83
43.8315-005 CE	1.5		0.05	0.05					
43.8315-01 CE	1.5		0.1	0.1					
43.8320-00 CE	2.0	15°	0.0	0.0	10.5	●	●		CS668R****-83
43.8320-005 CE	2.0		0.05	0.05					
43.8320-01 CE	2.0		0.1	0.1					
43.8325-00 CE	2.5	15°	0.0	0.0	10.5	●	●		CS668R****-83
43.8325-005 CE	2.5		0.05	0.05					
43.8325-01 CE	2.5		0.1	0.1					
43.8330-00 CE	3.0	15°	0.0	0.0	10.5	●	●		CS668R****-83
43.8330-005 CE	3.0		0.05	0.05					
43.8330-01 CE	3.0		0.1	0.1					
43.6320-00 WCE	2.0	20°	0.1	0.0	12		●		CS789R****-63
43.6320-005 WCE	2.0		0.05	0.05					
43.6320-01 WCE	2.0		0.1	0.1					
43.8320-00 WCE	2.0	20°	0.1	0.0	10.5	●	●		CS668R****-83
43.8320-005 WCE	2.0		0.05	0.05					
43.8320-01 WCE	2.0		0.1	0.1					

無"●"標示者為訂製品。Without "●" marking means custom products.
有"●"標示者為在庫品。With "●" marking means items in stock.

右向切斷刀 Right Hand Part Off

CU 斷屑槽 CU Breaker






型 號 EDP NO.	W	θ°	r1	r2	L2	X21	NC02	HC83	適用刀架 HOLDER NO.
43.6315-00 CU	1.5	15°	0.0	0.0	8.5	●	●		CS789R****-63
43.6315-005 CU	1.5		0.05	0.05					
43.6315-01 CU	1.5		0.1	0.1					
43.6320-00 CU	2.0	15°	0.0	0.0	8.5	●	●		CS789R****-63
43.6320-005 CU	2.0		0.05	0.05					
43.6320-01 CU	2.0		0.1	0.1					
43.6325-00 CU	2.5	15°	0.0	0.0	8.5	●	●		CS789R****-63
43.6325-005 CU	2.5		0.05	0.05					
43.6325-01 CU	2.5		0.1	0.1					
43.8315-00 CU	1.5	15°	0.0	0.0	8.5	●	●		CS668R****-83
43.8315-005 CU	1.5		0.05	0.05					
43.8315-01 CU	1.5		0.1	0.1					
43.8320-00 CU	2.0	15°	0.0	0.0	10.5	●	●		CS668R****-83
43.8320-005 CU	2.0		0.05	0.05					
43.8320-01 CU	2.0		0.1	0.1					
43.8325-00 CU	2.5	15°	0.0	0.0	10.5	●	●		CS668R****-83
43.8325-005 CU	2.5		0.05	0.05					
43.8325-01 CU	2.5		0.1	0.1					
43.8330-00 CU	3.0	15°	0.0	0.0	10.5	●	●		CS668R****-83
43.8330-005 CU	3.0		0.05	0.05					
43.8330-01 CU	3.0		0.1	0.1					
43.6320-00 WCU	2.0	20°	0.1	0.0	8.5				CS789R****-63
43.6320-005 WCU	2.0		0.05	0.05					
43.6320-01 WCU	2.0		0.1	0.1					
43.8320-00 WCU	2.0	20°	0.1	0.0	10.5	●	●		CS668R****-83
43.8320-005 WCU	2.0		0.05	0.05					
43.8320-01 WCU	2.0		0.1	0.1					

無"●"標示者為訂製品。Without "●" marking means custom products.
有"●"標示者為在庫品。With "●" marking means items in stock.

右向切斷刀 Right Hand Part Off

CX 斷屑槽 CX Breaker






型 號 EDP NO.	W	θ°	r1	r2	L2	X21	NC02	HC83	適用刀架 HOLDER NO.
43.6310-00 CX	1.0	15°	0.0	0.0	5		●		CS789R****-63
43.6315-00 CX	1.5	15°	0.0	0.0	8.5	●	●		CS789R****-63
43.6315-005 CX	1.5		0.05	0.05					
43.6315-01 CX	1.5		0.1	0.1					
43.6320-00 CX	2.0	15°	0.0	0.0	8.5	●	●		CS789R****-63
43.6320-005 CX	2.0		0.05	0.05					
43.6320-01 CX	2.0		0.1	0.1					
43.6325-00 CX	2.5	15°	0.0	0.0	8.5	●	●		CS789R****-63
43.6325-005 CX	2.5		0.05	0.05					
43.6325-01 CX	2.5		0.1	0.1					
43.8315-00 CX	1.5	15°	0.0	0.0	8.5	●	●		CS668R****-83
43.8315-005 CX	1.5		0.05	0.05					
43.8315-01 CX	1.5		0.1	0.1					
43.8320-00 CX	2.0	15°	0.0	0.0	10.5	●	●		CS668R****-83
43.8320-005 CX	2.0		0.05	0.05					
43.8320-01 CX	2.0		0.1	0.1					
43.8325-00 CX	2.5	15°	0.0	0.0	10.5	●	●		CS668R****-83
43.8325-005 CX	2.5		0.05	0.05					
43.8325-01 CX	2.5		0.1	0.1					
43.8330-00 CX	3.0	15°	0.0	0.0	10.5	●	●		CS668R****-83
43.8330-005 CX	3.0		0.05	0.05					
43.8330-01 CX	3.0		0.1	0.1					
43.6320-00 WCX	2.0	20°	0.1	0.0	8.5		●	●	CS789R****-63
43.6320-005 WCX	2.0		0.05	0.05					
43.6320-01 WCX	2.0		0.1	0.1					
43.8320-00 WCX	2.0	20°	0.1	0.0	10.5		●	●	CS668R****-83
43.8320-005 WCX	2.0		0.05	0.05					
43.8320-01 WCX	2.0		0.1	0.1					

無"●"標示者為訂製品。Without "●" marking means custom products.
有"●"標示者為在庫品。With "●" marking means items in stock.

右向切斷刀 Right Hand Part Off

無 斷屑槽 NO Breaker






型 號 EDP NO.	W	θ°	r1	r2	L2	X21	NC02	HC83	適用刀架 HOLDER NO.
43.6310-00 NB	1.0	15°	0.0	0.0	5	●	●		CS789R****-63
43.6315-00 NB	1.5	15°	0.0	0.0	8.5	●	●		CS789R****-63
43.6315-005 NB	1.5		0.05	0.05		●	●		
43.6315-01 NB	1.5		0.1	0.1		●	●		
43.6320-00 NB	2.0	15°	0.0	0.0	8.5	●	●		CS789R****-63
43.6320-005 NB	2.0		0.05	0.05		●	●		
43.6320-01 NB	2.0		0.1	0.1		●	●		
43.6325-00 NB	2.5	15°	0.0	0.0	8.5	●	●		CS789R****-63
43.6325-005 NB	2.5		0.05	0.05		●	●		
43.6325-01 NB	2.5		0.1	0.1		●	●		
43.8315-00 NB	1.5	15°	0.0	0.0	8.5	●	●		CS668R****-83
43.8315-005 NB	1.5		0.05	0.05		●	●		
43.8315-01 NB	1.5		0.1	0.1		●	●		
43.8320-00 NB	2.0	15°	0.0	0.0	10.5	●	●		CS668R****-83
43.8320-005 NB	2.0		0.05	0.05		●	●		
43.8320-01 NB	2.0		0.1	0.1		●	●		
43.8325-00 NB	2.5	15°	0.0	0.0	10.5	●	●		CS668R****-83
43.8325-005 NB	2.5		0.05	0.05		●	●		
43.8325-01 NB	2.5		0.1	0.1		●	●		
43.8330-00 NB	3.0	15°	0.0	0.0	10.5	●	●		CS668R****-83
43.8330-005 NB	3.0		0.05	0.05		●	●		
43.8330-01 NB	3.0		0.1	0.1		●	●		
43.6320-00 WNB	2.0	20°	0.1	0.0	8.5	●	●	●	CS789R****-63
43.6320-005 WNB	2.0		0.05	0.05					
43.6320-01 WNB	2.0		0.1	0.1					
43.8320-00 WNB	2.0	20°	0.1	0.0	10.5	●	●	●	CS668R****-83
43.8320-005 WNB	2.0		0.05	0.05					
43.8320-01 WNB	2.0		0.1	0.1					

無"●"標示者為訂製品。Without "●" marking means custom products.
有"●"標示者為在庫品。With "●" marking means items in stock.

右向切斷刀 Right Hand Part Off

CE 斷屑槽 CE Breaker






型 號 EDP NO.	W	θ°	r1	r2	L2	X21	NC02	UP60	適用刀架 HOLDER NO.
43.47615-00 CE	1.5	15°	0.0	0.0	8.5	●		●	CS458R****
43.47615-01 CE	1.5		0.1	0.1		●		●	
43.47620-00 CE	2.0	15°	0.0	0.0	10.5	●		●	CS458R****
43.47620-005 CE	2.0		0.05	0.05		●		●	
43.47620-01 CE	2.0		0.1	0.1		●		●	
43.47625-00 CE	2.5	15°	0.0	0.0	10.5	●		●	CS458R****
43.47625-005 CE	2.5		0.05	0.05		●		●	
43.47625-01 CE	2.5		0.1	0.1		●		●	
43.47630-00 CE	3.0	15°	0.0	0.0	10.5	●		●	CS458R****
43.47630-005 CE	3.0		0.05	0.05		●		●	
43.47630-01 CE	3.0		0.1	0.1		●		●	
43.47615-00 WCE	1.5	20°	0.0	0.0	8.5	●		●	CS458R****
43.47615-01 WCE	1.5		0.1	0.1		●		●	
43.47620-00 WCE	2.0	20°	0.0	0.0	10.5	●		●	CS458R****
43.47620-005 WCE	2.0		0.05	0.05		●		●	
43.47620-01 WCE	2.0		0.1	0.1		●		●	
43.47625-00 WCE	2.5	20°	0.0	0.0	10.5	●		●	CS458R****
43.47625-005 WCE	2.5		0.05	0.05		●		●	
43.47625-01 WCE	2.5		0.1	0.1		●		●	
43.47630-00 WCE	3.0	20°	0.0	0.0	10.5	●		●	CS458R****
43.47630-005 WCE	3.0		0.05	0.05		●		●	
43.47630-01 WCE	3.0		0.1	0.1		●		●	

無"●"標示者為訂製品。Without "●" marking means custom products.
有"●"標示者為在庫品。With "●" marking means items in stock.

台灣專利 第：M390832號
中國專利 字號：ZL 2009 2 0136227.3
日本專利 實願：2010-005365

右向切斷刀 Right Hand Part Off

CU 斷屑槽 CU Breaker



型 號 EDP NO.	W	θ°	r1	r2	L2	X21	NC02	UP60	適用刀架 HOLDER NO.
43.47615-00 CU	1.5	15°	0.0	0.0	8.5	●		●	CS458R****
43.47615-005 CU	1.5		0.05	0.05					
43.47615-01 CU	1.5		0.1	0.1		●		●	
43.47620-00 CU	2.0	15°	0.0	0.0	10.5	●		●	CS458R****
43.47620-005 CU	2.0		0.05	0.05		●		●	
43.47620-01 CU	2.0		0.1	0.1		●		●	
43.47625-00 CU	2.5	15°	0.0	0.0	10.5	●		●	CS458R****
43.47625-005 CU	2.5		0.05	0.05		●		●	
43.47625-01 CU	2.5		0.1	0.1		●		●	
43.47630-00 CU	3.0	15°	0.0	0.0	10.5	●		●	CS458R****
43.47630-005 CU	3.0		0.05	0.05		●		●	
43.47630-01 CU	3.0		0.1	0.1		●		●	
43.47615-00 WCU	1.5	20°	0.0	0.0	8.5	●		●	CS458R****
43.47615-005 WCU	1.5		0.05	0.05					
43.47615-01 WCU	1.5		0.01	0.1		●		●	
43.47620-00 WCU	2.0	20°	0.0	0.0	10.5	●		●	CS458R****
43.47620-005 WCU	2.0		0.05	0.05		●		●	
43.47620-01 WCU	2.0		0.1	0.1		●		●	
43.47625-00 WCU	2.5	20°	0.0	0.0	10.5	●		●	CS458R****
43.47625-005 WCU	2.5		0.05	0.05		●		●	
43.47625-01 WCU	2.5		0.1	0.1		●		●	
43.47630-00 WCU	3.0	20°	0.0	0.0	10.5	●		●	CS458R****
43.47630-005 WCU	3.0		0.05	0.05		●		●	
43.47630-01 WCU	3.0		0.1	0.1		●		●	




無"●"標示者為訂製品。Without "●" marking means custom products.

有"●"標示者為在庫品。With "●" marking means items in stock.

台灣專利 第：M390832號
中國專利 字號：ZL 2009 2 0136227.3
日本專利 實願：2010-005365

右向切斷刀 Right Hand Part Off

CX 斷屑槽 CX Breaker






型 號 EDP NO.	W	θ°	r1	r2	L2	X21	NC02	UP60	適用刀架 HOLDER NO.
43.47615-00 CX	1.5	15°	0.0	0.0	8.5	●		●	CS458R****
43.47615-005 CX	1.5		0.05	0.05					
43.47615-01 CX	1.5		0.1	0.1		●		●	
43.47620-00 CX	2.0	15°	0.0	0.0	10.5	●		●	CS458R****
43.47620-005 CX	2.0		0.05	0.05		●		●	
43.47620-01 CX	2.0		0.1	0.1		●		●	
43.47625-00 CX	2.5	15°	0.0	0.0	10.5	●		●	CS458R****
43.47625-005 CX	2.5		0.05	0.05		●		●	
43.47625-01 CX	2.5		0.1	0.1		●		●	
43.47630-00 CX	3.0	15°	0.0	0.0	10.5	●		●	CS458R****
43.47630-005 CX	3.0		0.05	0.05		●		●	
43.47630-01 CX	3.0		0.1	0.1		●		●	
43.47615-00 WCX	1.5	20°	0.0	0.0	8.5	●		●	CS458R****
43.47615-005 WCX	1.5		0.05	0.05					
43.47615-01 WCX	1.5		0.1	0.1		●		●	
43.47620-00 WCX	2.0	20°	0.0	0.0	10.5	●		●	CS458R****
43.47620-005 WCX	2.0		0.05	0.05		●		●	
43.47620-01 WCX	2.0		0.1	0.1		●		●	
43.47625-00 WCX	2.5	20°	0.0	0.0	10.5	●		●	CS458R****
43.47625-005 WCX	2.5		0.05	0.05		●		●	
43.47625-01 WCX	2.5		0.1	0.1		●		●	
43.47630-00 WCX	3.0	20°	0.0	0.0	10.5	●		●	CS458R****
43.47630-005 WCX	3.0		0.05	0.05		●		●	
43.47630-01 WCX	3.0		0.1	0.1		●		●	

無"●"標示者為訂製品。Without "●" marking means custom products.
有"●"標示者為在庫品。With "●" marking means items in stock.

台灣專利 第：M390832號
中國專利 字號：ZL 2009 2 0136227.3
日本專利 實願：2010-005365

右向切斷刀 Right Hand Part Off

無 斷屑槽 NO Breaker



型 號 EDP NO.	W	θ°	r1	r2	L2	X21	NC02	UP60	適 用 刀 架 HOLDER NO.
43.47615-00 NB	1.5	15°	0.0	0.0	8.5	●		●	CS458R****
43.47615-005 NB	1.5		0.05	0.05		●		●	
43.47615-01 NB	1.5		0.1	0.1		●		●	
43.47620-00 NB	2.0	15°	0.0	0.0	10.5	●		●	CS458R****
43.47620-005 NB	2.0		0.05	0.05		●		●	
43.47620-01 NB	2.0		0.1	0.1		●		●	
43.47625-00 NB	2.5	15°	0.0	0.0	10.5	●		●	CS458R****
43.47625-005 NB	2.5		0.05	0.05		●		●	
43.47625-01 NB	2.5		0.1	0.1		●		●	
43.47630-00 NB	3.0	15°	0.0	0.0	10.5	●		●	CS458R****
43.47630-005 NB	3.0		0.05	0.05		●		●	
43.47630-01 NB	3.0		0.1	0.1		●		●	
43.47615-00 WNB	1.5	20°	0.0	0.0	8.5	●		●	CS458R****
43.47615-005 WNB	1.5		0.05	0.05		●		●	
43.47615-01 WNB	1.5		0.1	0.1		●		●	
43.47620-00 WNB	2.0	20°	0.0	0.0	10.5	●		●	CS458R****
43.47620-005 WNB	2.0		0.05	0.05		●		●	
43.47620-01 WNB	2.0		0.1	0.1		●		●	
43.47625-00 WNB	2.5	20°	0.0	0.0	10.5	●		●	CS458R****
43.47625-005 WNB	2.5		0.05	0.05		●		●	
43.47625-01 WNB	2.5		0.1	0.1		●		●	
43.47630-00 WNB	3.0	20°	0.0	0.0	10.5	●		●	CS458R****
43.47630-005 WNB	3.0		0.05	0.05		●		●	
43.47630-01 WNB	3.0		0.1	0.1		●		●	




無"●"標示者為訂製品。Without "●" marking means custom products.

有"●"標示者為在庫品。With "●" marking means items in stock.

台灣專利 第：M390832號
中國專利 字號：ZL 2009 2 0136227.3
日本專利 實願：2010-005365




右向切斷刀 Right Hand Part Off

CE 斷削槽 CE Breaker



型 號 EDP NO.	W	θ°	r1	r2	L2	X21	NA01	HC83	適用刀架 HOLDER NO.
433.10-00 CE	1.0	15°	0.0	0.0	5	●	●		CS900R****83
433.15-00 CE	1.5		0.0	0.0	8.5	●	●		
433.15-005 CE	1.5		0.05	0.05		●	●		
433.15-01 CE	1.5		0.1	0.1		●	●		
433.20-00 CE	2.0		0.0	0.0	11.5	●	●		
433.20-005 CE	2.0		0.05	0.05		●	●		
433.20-01 CE	2.0		0.1	0.1		●	●		
433.25-00 CE	2.5		0.0	0.0		●	●		
433.25-005 CE	2.5		0.05	0.05		●	●		
433.25-01 CE	2.5		0.1	0.1		●	●		
433.30-00 CE	3.0		0.0	0.0		●	●		
433.30-005 CE	3.0	20°	0.05	0.05	12	●	●		CS900R****83
433.30-01 CE	3.0		0.1	0.1		●	●		
433.20-00 WCE	2.0		0.1	0.0			●		
433.20-005 WCE	2.0		0.05	0.05	12				
433.20-01 WCE	2.0		0.1	0.1					

CU 斷屑槽 CU Breaker






型 號 EDP NO.	W	θ°	r1	r2	L2	X21	NA01	HC83	適用刀架 HOLDER NO.
433.15-00 CU	1.5	15°	0.0	0.0	8.5	●	●		CS900R****83
433.15-005 CU	1.5		0.05	0.05		●	●		
433.15-01 CU	1.5		0.1	0.1		●	●		
433.20-00 CU	2.0		0.0	0.0	11.5	●	●		
433.20-005 CU	2.0		0.05	0.05		●	●		
433.20-01 CU	2.0		0.1	0.1		●	●		
433.25-00 CU	2.5		0.0	0.0		●	●		
433.25-005 CU	2.5		0.05	0.05		●	●		
433.25-01 CU	2.5		0.1	0.1		●	●		
433.30-00 CU	3.0		0.0	0.0		●	●		
433.30-005 CU	3.0	20°	0.05	0.05	11.5	●	●		CS900R****83
433.30-01 CU	3.0		0.1	0.1		●	●		
433.20-00 WCU	2.0		0.1	0.0		●	●		
433.20-005 WCU	2.0		0.05	0.05	11.5				
433.20-01 WCU	2.0		0.1	0.1					

無"●"標示者為訂製品。Without "●" marking means custom products.
有"●"標示者為在庫品。With "●" marking means items in stock.




右向切斷刀 Right Hand Part Off

CX 斷屑槽 CX Breaker



型 號 EDP NO.	W	θ°	r1	r2	L2	X21	NA01	HC83	適用刀架 HOLDER NO.
433.10-00 CX	1.0	15°	0.0	0.0	5	●	●		CS900R****83
433.15-00 CX	1.5		0.0	0.0	8.5	●	●		
433.15-005 CX	1.5		0.05	0.05		●	●		
433.15-01 CX	1.5		0.1	0.1		●	●		
433.20-00 CX	2.0		0.0	0.0	11.5	●	●		
433.20-005 CX	2.0		0.05	0.05		●	●		
433.20-01 CX	2.0		0.1	0.1		●	●		
433.25-00 CX	2.5		0.0	0.0		●	●		
433.25-005 CX	2.5		0.05	0.05		●	●		
433.25-01 CX	2.5		0.1	0.1		●	●		
433.30-00 CX	3.0		0.0	0.0		●	●		
433.30-005 CX	3.0	20°	0.05	0.05	11.5	●	●		CS900R****83
433.30-01 CX	3.0		0.1	0.1		●	●		
433.20-00 WCX	2.0		0.1	0.0			●		
433.20-005 WCX	2.0	20°	0.05	0.05	11.5				CS900R****83
433.20-01 WCX	2.0		0.1	0.1					

CX 斷削槽 CX Breaker






型 號 EDP NO.	W	θ°	r1	r2	L2	X21	NA01	HC83	適用刀架 HOLDER NO.
433.10025-00 CX	2.5	15°	0.0	0.0	14		●		CS320R****103
433.10025-01 CX	2.5		0.1	0.1			●		
433.10030-00 CX	3.0		0.0	0.0	17		●		
433.10030-01 CX	3.0		0.1	0.1			●		

無"●"標示者為訂製品。Without "●" marking means custom products.
有"●"標示者為在庫品。With "●" marking means items in stock.




右向切斷刀 Right Hand Part Off

無 斷削槽 NO Breaker



型 號 EDP NO.	W	θ°	r1	r2	L2	X21	NA01	HC83	適用刀架 HOLDER NO.
433.10-00 NB	1.0	15°	0.0	0.0	5	●	●		CS900R****83
433.15-00 NB	1.5		0.0	0.0	8.5	●	●		
433.15-005 NB	1.5		0.05	0.05		●	●		
433.15-01 NB	1.5		0.1	0.1		●	●		
433.20-00 NB	2.0		0.0	0.0	11.5	●	●		
433.20-005 NB	2.0		0.05	0.05		●	●		
433.20-01 NB	2.0		0.1	0.1		●	●		
433.25-00 NB	2.5		0.0	0.0	11.5	●	●		
433.25-005 NB	2.5		0.05	0.05		●	●		
433.25-01 NB	2.5		0.1	0.1		●	●		
433.30-00 NB	3.0		0.0	0.0	11.5	●	●		
433.30-005 NB	3.0		0.05	0.05		●	●		
433.30-01 NB	3.0		0.1	0.1		●	●		
433.20-00 WNB	2.0	20°	0.1	0.0	11.5	●	●		CS900R****83
433.20-005 WNB	2.0		0.05	0.05					
433.20-01 WNB	2.0		0.1	0.1					

無 斷削槽 NO Breaker



型 號 EDP NO.	W	θ°	r1	r2	L2	X21	NA01	HC83	適用刀架 HOLDER NO.
433.10025-00 NB	2.5	15°	0.0	0.0	14		●		CS320R****103
433.10025-01 NB	2.5		0.1	0.1					
433.10030-00 NB	3.0		0.0	0.0	17		●		
433.10030-01 NB	3.0		0.1	0.1			●		

無"●"標示者為訂製品。Without "●" marking means custom products.
有"●"標示者為在庫品。With "●" marking means items in stock.